

DETAILED ACTION

1. Claims 1-35 are pending and currently under Restriction Requirement.

Election/Restrictions

2. Restriction is required under 35 U.S.C. 121 and 372.

This application contains the following inventions or groups of inventions which are not so linked as to form a single general inventive concept under PCT Rule 13.1.

In accordance with 37 CFR 1.499, applicant is required, in reply to this action, to elect a single invention to which the claims must be restricted.

Group I, claim(s) 1-12 and 34, drawn to a solution wherein a high concentration of immunoglobulin is stabilized, and wherein the immunoglobulin is IgM.

Group II, claim(s) 13-33 and 35, drawn to a method for stabilizing or producing a solution comprising a high concentration of immunoglobulin comprising adding a polyvalent cationic ion to the solution.

The inventions listed as Groups I-II do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, they lack the same or corresponding special technical features for the following reasons: PCT Rule 13.2 defines "special technical features" as "those technical features that define a contribution which each of the claimed inventions, considered as a whole, makes over the prior art." In addition, unity of invention has to be considered in the first place only in relation to the independent claims.

The uniting feature of the present invention is a stable solution of high concentration of IgM. As stated in the International Preliminary Report for PCT/JP04/014935 and reiterated herein, document JP 2001-504092 A (reference of record (Rotkreuzstiftung Zentrallaboratorium Blutspendedienst SRK), 27 March 2001) teaches a stable IgM solution of a high concentration. As such, the uniting feature of

Art Unit: 1644

the present application does not contribute over prior art. Therefore no special technical feature exists in the present application.

Species Election

3. This application contains claims directed to more than one species of the generic invention. These species are deemed to lack unity of invention because they are not so linked as to form a single general inventive concept under PCT Rule 13.1.

The species are as follows:

4. If any one of Groups I-II is elected, Applicant is required to elect a specific polyvalent cationic ion recited in claim 7(e.g., magnesium ion OR arginine ion).

5. If any one of Groups I-II is elected, Applicant is required to elect a specific solution or method *with* OR *without* sugars or adding sugars.

If "*with*" sugar is elected, Applicant is further required to elect a specific sugar as disclosed in the specification (e.g., trehalose OR sucrose OR sorbital).

6. The species listed above do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, the species lack the same or corresponding special technical features for reason stated above (see document JP 2001-504092 A).

Applicant is required, in reply to this action, to elect a single species to which the claims shall be restricted if no generic claim is finally held to be allowable. The reply must also identify the claims readable on the elected species, including any claims subsequently added. An argument that a claim is allowable or that all claims are generic is considered non-responsive unless accompanied by an election.

Upon the allowance of a generic claim, applicant will be entitled to consideration of claims to additional species which are written in dependent form or otherwise include all the limitations of an allowed generic claim as provided by 37 CFR 1.141. If claims

Art Unit: 1644

are added after the election, applicant must indicate which are readable upon the elected species. MPEP § 809.02(a).

7. Applicant is advised that the reply to this requirement to be complete must include (i) an election of a species or invention to be examined even though the requirement may be traversed (37 CFR 1.143) and (ii) identification of the claims encompassing the elected invention.

The election of an invention or species may be made with or without traverse. To preserve a right to petition, the election must be made with traverse. If the reply does not distinctly and specifically point out supposed errors in the restriction requirement, the election shall be treated as an election without traverse.

Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a request under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).

8. The examiner has required restriction between product and process claims. Where applicant elects claims directed to the product, and the product claims are subsequently found allowable, withdrawn process claims that depend from or otherwise require all the limitations of the allowable product claim will be considered for rejoinder. All claims directed to a nonelected process invention must require all the limitations of an allowable product claim for that process invention to be rejoined.

In the event of rejoinder, the requirement for restriction between the product claims and the rejoined process claims will be withdrawn, and the rejoined process claims will be fully examined for patentability in accordance with 37 CFR 1.104. Thus, to be allowable, the rejoined claims must meet all criteria for patentability including the requirements of 35 U.S.C. 101, 102, 103 and 112. Until all claims to the elected product are found allowable, an otherwise proper restriction requirement between product claims and process claims may be maintained. Withdrawn process claims that are not

Art Unit: 1644

commensurate in scope with an allowable product claim will not be rejoined. See MPEP § 821.04(b). Additionally, in order to retain the right to rejoinder in accordance with the above policy, applicant is advised that the process claims should be amended during prosecution to require the limitations of the product claims. **Failure to do so may result in a loss of the right to rejoinder.** Further, note that the prohibition against double patenting rejections of 35 U.S.C. 121 does not apply where the restriction requirement is withdrawn by the examiner before the patent issues. See MPEP § 804.01.

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to SHARON WEN whose telephone number is (571)270-3064. The examiner can normally be reached on Monday-Thursday, 8:30AM-6:00PM, ALT. Friday, EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eileen O'Hara can be reached on (571)272-0878. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Sharon Wen, Ph.D./

Examiner, Art Unit 1644

April 10, 2008

Application/Control Number: 10/575,192

Page 6

Art Unit: 1644

/Eileen B. O'Hara/

Supervisory Patent Examiner

Art Unit 1644